No.



8600047

ALLE TO A KILLED SKRALLES OF FAMILIES (OF)

TO MILTO VHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

Whereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF LIGHTLEN YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT LETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT TO 1542, AS AMENDED, 7 U.S.C. 2121 ET SEQ.)

CORN

' PHG29'

In Testimony Mancroot, I have horeunto sel my hand and caused the seal of the Plant Turisty Protection Office to be affixed at the City of Washington, D. C. this 30th day of September in the year of our Lord one thousand nine hundred and eighty-six.

Jula-c

Lyry

Levelt & Earl Commissionen Plant Varuely Production Africa Agrecultural Marketing Germica

			15000 10000 0110 110 0501 00F					
U.S. DEPARTMENT AGRICULTURAL M	FORM APPROVED: OMB NO. 0581-0055 Application is required in order to determine							
	if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is							
APPLICATION FOR PLANT VARI	ETY PROTE(s on reverse)	CTION CERTIFICATE	held confidential until certificate is issued (7 U.S.C. 2426).					
1. NAME OF APPLICANT(S)	3. VARIETY NAME							
Pioneer Hi-Bred International	, Inc.		PHG29					
4. ADDRESS (Street and No. or R.F.D. No., City, Sta	te, and Zip Code)	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY					
Plant Breeding Division Department of Corn Breeding		515/270-3300	8600047					
PO Box 85, Johnston, IA 5013	1-0085	315/270 3300	CBUGGA					
6. GENUS AND SPECIES NAME	7. FAMILY NA	ME (Botagical)	DATE , /, /a/					
Zea mays		ineae	2 1/6/8 - 1					
	1		AMOUNT FOR FILING					
8. KIND NAME	9.	DATE OF DETERMINATION	1000					
Corn		1980	DATE 16/86					
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.)	N," GIVE FORM	OF ORGANIZATION (Corporation						
Corporation			S 200.00					
•			8/25/86					
11. IF INCORPORATED, GIVE STATE OF INCORPO	PATION		12. DATE OF INCORPORATION					
IOWA 13. NAME AND ADDRESS OF APPLICANT REPRES		F ANY TO SERVE IN THIS ARRIVE	May 6, 1926					
Dr. Richard L. McConnell	SENTATIVE(S), I	FANT, TO SERVE IN THIS APPLI	CATION AND RECEIVE ALL PAPERS					
Pioneer Hi-Bred International,	, Inc.							
Plant Breeding Division			The second secon					
PO Box 85, Johnston, IA 50131	1-0085	PHONE /Include ar	ea code): 515/270-3363					
14 CHECK APPROPRIATE BOX FOR EACH ATTAC	그러워 크라게이 하 - 2		0 • · · · · ·					
 a.	the Variety (See	Section 52 of the Plant Variety Pr	olection Act.)					
b. M Exhibit B, Novelty Statement. c. M Exhibit C, Objective Description of Variet	u /Paquast form	from Plant Variaty Protection Offi	ica l					
d. X Exhibit D, Additional Description of Variety	•	from Public Variety Protection Offi	ice.)					
e. Z Exhibit E. Statement of the Basis of Appli								
15. DOES THE APPLICANT(S) SPECIFY THAT SEE	OF THIS VARI		37. 교통 (14.) - 1. (14.) - 1. (14.) - 1. (14.) - 1. (14.) - 1. (14.) - 1. (14.) - 1. (14.) - 1. (14.)					
SEED? (See Section 83(a) of the Plant Variety Pro			items 16 and 17 below) X No					
16. OOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	VARIETY BE	BEYOND BREEDER SE	WHICH CLASSES OF PRODUCTION ED?					
Yes No	Yes No Foundation							
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECTI	ON OF THE VARIETY IN THE U	I.S.7 Yes (If "Yes," give date)					
			X No					
19. HAS THE VARIETY BEEN RELEASED, OFFER	ED FOR SALE,	OR MARKETEO IN THE U.S. OF						
			Yes (I/ 'Yes," give name of countries and dates)					
			X No					
 The applicant(s) declare(s) that a viable samp plenished upon request in accordance with su 			with the application and will be re-					
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in Se Variety Protection Act.	er(s) of this sex	ually reproduced novel plant va	riety, and believe(s) that the variety is e provisions of Section 42 of the Plant					
Applicant(s) is (are) informed that false repre	sentation hereir	can jeopardize protection and	result in penalties.					
SIGNATURE OF APPLICANT			DATE					
Pioneer Hi-Bred International,	Inc.							
by:								
SIGNATURE OF APPLICANT			DATE					
Kichard & McConnell			December 30, 1985					
FORM WA-470 (7-84) (Edition of 3-84 is obsolete.)								

CORN

'PHG29'

14A. Exhibit A. Origin and Breeding History

Pedigree: 207 < 2806) 81 23 225 X

Pioneer line PHG29, Zea mays L., a yellow dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross 207 x 806 backcrossed to 207 followed by selfing and selection using the pedigree method of breeding. The progenitors of PHG29 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection was practiced within the above backcross population for eight generations in the development of PHG29. The inbred line was developed at Mankato, Minnesota, with some winter nursery selections being made at Homestead, Florida, and Kauai, Hawaii. During line development, the F4 generation was crossed to an inbred tester for the purpose of estimating the lines combining ability. Yield trials were grown in 1978. Additional hybrid combinations have been evaluated and subsequent generations of the line were grown and hand-pollinated with observations made for uniformity.

PHG29 has shown uniformity and stability for all traits as described in Exhibit C (form LPGS-470-28) - "Objective Description of Variety". It has been self-pollinated and earrowed a sufficient number of generations with careful attention paid to uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or expected in PHG29.

14B. Exhibit B. Novelty Statement for 'PHG29'

PHG29 is most similar to the Pioneer proprietary inbred line 207 for general appearance. PHG29 differs from 207 by having green glumes versus red glumes for 207. PHG29 also reaches anthesis later than 207. PHG29 reaches fifty percent pollen shed and fifty percent silk, 60 and 70 heat units, respectively, later than 207. These data for differences in pollen shed and silk emergences are the result of observations recorded at many locations within the Corn Belt.

EXHIBIT C (Com)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY CORN IZEA MAYSI

CORN (ZEA MATS)	
Pioneer Hi-Bred International, Inc.	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	8600047
Plant Breeding Division	VARIETY NAME OR TEMPORARY DESIGNATION
Department of Corn Breeding	South and the control of the state of the st
<u>Johnston, Ja., 50131-0085</u>	PHG29
Place the appropriate number that describes the varietal character of this variety in the Place a zero in first box (e.s. 089 or 09) when number is either 99 or less or	
1. TYPE:	
2 1 = SWEET 2 = DENT 3 = FLINT 4 = FLOUR 5 - P	OP 6 = ORNAMENTAL
2. REGION WHERE BEST ADAPTED IN THE U.S.A.:	
1 = NORTHWEST 2 = NORTHCENTRAL 3 - NORTHEAST 5 = SOUTHCENTRAL 6 = SOUTHWEST 7 = MOST REGIONS	4 - SOUTHEAST
3. MATURITY (In Region of Best Adaptability): (Under "	comments" (pg. 3) state how
heat uni	is were calculated)
6 8 DAYS FROM EMERGENCE TO 50% OF PLANTS IN SILK	8 0 HEAT UNITS
DAYS FROM 50% SILK TO OPTIMUM EOIBLE QUALITY	HEAT UNITS
DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE	HEAT UNITS
4. PLANT:	
1 8 0 CM, HEIGHT (To tassel tip)	6 3 CM, EAR HEIGHT (To base of top ear)
0 6 CM. LENGTH OF TOP EAR INTERNODE	
Number of Tillers: Number of Ears Per Stalk	
1 = NONE $2 = 1 - 2$ $3 = 2 - 3$ $4 = > 3$ 1 $1 = SINGLE$ 2	SLIGHT TWO-EAR TENDENCY -EAR TENDENCY
1 = NONE $2 = 1 - 2$ $3 = 2 - 3$ $4 = > 3$ 1 $1 = SINGLE$ 2	SLIGHT TWO-EAR TENDENCY
1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 = SINGLE 2 3 = STRONG TWO	SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4" THREE-EAR TENDENCY
1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type:	SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4" THREE-EAR TENDENCY
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER	SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4" THREE-EAR TENDENCY
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given):	SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 THREE-EAR TENDENCY (Specify)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color:	SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 THREE-EAR TENDENCY (Specify)
1 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 3 1 - LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE Angle from Stalk (Upper half): Sheath Pubscence:	SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 THREE-EAR TENDENCY (Specify)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 3 1 - LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENCY (Specify)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 3 1 - LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE Angle from Stalk (Upper half): Sheath Pubscence:	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENCY (Specify)
1 1 = NONE 2 = 1 - 2 3 = 2 - 3 4 = > 3 1 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 3 1 - LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE Angle from Stalk (Upper half): Sheath Pubscence: 2 1 = < 30° 2 = 30 - 60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY Marginal Waves: Longitudinal Creeses: 1 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSENT	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENCY (Specify) EN (B14) 4 = VERY OARK GREEN (K166) (W22) 2 ¬ MEOIUM (WF9) (OH26)
1 1 = NONE 2 = 1 - 2 3 = 2 - 3 4 = > 3 1 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 3 1 - LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE Angle from Stalk (Upper half): Sheath Pubscence: 2 1 = < 30° 2 = 30 - 60° 3 = > 60° 1 1 - LIGHT 3 = HEAVY Marginal Waves: Longitudinal Creeses:	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENCY (Specify) EN (B14) 4 = VERY OARK GREEN (K166) (W22) 2 ¬ MEOIUM (WF9) (OH26)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 3 1 - LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE Angle from Stalk (Upper half): Sheath Pubscence: 2 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY Marginal Waves: Longitudinal Creeses: 1 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSENT 3 = MANY (OH7L) Width: Longth:	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENCY (Specify) EN (B14) 4 = VERY OARK GREEN (K166) (W22) 2 ¬ MEOIUM (WF9) (OH26)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 - NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 3 1 - LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE Angle from Stalk (Upper half): Sheath Pubscence: 2 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY Marginal Waves: Longitudinal Creeses: 1 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSENT 3 = MANY (OH7L) Width: Longth:	SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 THREE-EAR TENDENCY (Specify) EN (B14) 4 = VERY OARK GREEN (K166) W22) 2 THEOLUM (WF9) (OH26) T (OH51) 2 THEW (OH56A) PA11)

6. TASSEL:						
1 8	NUMBER OF LA	ATERAL BRANCHES				
Branch Ar	ngle from Central Spi	ike:	Pane	funcie Length:		
3	179	2 - 30 – 40° 3			M TOP LEAF TO BAS	AL BRANCHES
Pollen She	ed:				ž.	
2	1 - LIGHT (WF9	2 · 5	IEDIUM	3 - HEAVY(KY21)		
3	Anther Color: Glume Color:	1 YELLOW 6 OTHER (Speci	2 - PINK	3 · RED	4 > PURPLE	5 = GREEN
Pollen Res	storation for Cytopla	isms (o = Not Tested, 1	= Partial, 2 = Good)			
О "т	0	e 0c	OTHER	(Specify Cytoplasm and	degrees of restoration)	
7. EAR (Hu	sked Ear Data Excep	ot When Stated Otherw	ise):			
1 7	CM LENGTH	3 7 MM. MID	POINT ER	9 2 GM, WE	GHT	
Kernel Ro	ws:					
2	1 · INDISTINCT	2 DIST	INCT	1 4 NUMBER		
1	1 STRAIGHT	2 SLIGHT	LY CURVED	3 SPIRAL		
Silk Color	(Exposed at Silking S	Stage):				
4	1 = GREEN	2 - PINK	3 SALMON	4 = RED		
Husk Colo	,					
2	FRESH	1 - LIGHT GRE	EN 2	DARK GREEN	3, - PINK	
6	DRY	4 RED	5 · PUAPLE	6 = BU	FF '	
	,		57.5 STREET, S			
Husk Exten	ition: (Harvest Stage	*)	Husk	Leaf:		
3 = L	HORT (Ears Expose, ONG (8-10CM Beyon ERY LONG (> 10		ly Covering Ear)	1 = SHORT (3 = LONG (UM (8-15 CM)
Shank:			Positi	on at Dry Husk Stage:		
1 2	CM LONG	6 NO. OF INTERN	IODES	3 1 UPRIGHT	2 HORIZONT	AL 3 PENDENT
Taper:			Drvin	g Time (Unhusked Ear):		
3	1 SLIGHT 2	- AVERAGE 3	EXTREME	1 · SLOW	2 AVERAGE	3 - FAST
B. KERNEL (Oried):					
Size (From	Ear Mid-Point):					
0 9	MM LONG	0 6 MM	WIDE 0 4	MM, THICK		
Shape Grade	% Rounds)					
1	1 = < 20	2 - 20 -40	3 - 40-60	4 • 60-80	6 = > BO	5

8. KERNE	L (Dried):							
	Pericarp Color:	1 - COLOR 5 = BROWN		2 - RED-WHIT		3 TAN		
		8 = VARIE	GATED (Describe	a)				
1	Aleurane Cotor:	1 • номог	YGOUS	2 = SEGRE	GATING (Describe)			
	• WHITE	a DiAte	3=1	ran -	4 - BROWN		5 = BRONZE	6 - RED
1	1 WHITE 7 - PURPLE				GATED (Describe)		5 - BHONZE	0 1125
	, , , , , , ,	2						
3	Endosperm Color:	1 = WHI	TE 2 = PALI	E YELLOW	3 - YELLOW	4 = PINK-0	PRANGE 5 - V	WHITE CAP,
Endospe	гт Туре:							
[3]	1 = SWEET (su1)	2	= EXTRA SWEE	T (sh2)	3 - NORMAL STA		- HIGH AMYLOSE	
	5 - WAXY STARC	H 6	HIGH PROTEI	N	7 - HIGH LYSINE	-	OTHER (Specify)	
1 9	GM, WEIGHT /100	SEEDS (Ums	ized Sample)					
9. cos:	MM. DIAMETER A	AT MID-POIN	T					
Strength	:			Color	:			
1	1 WEAK	2 · STRONG	3	3	1 - WHITE 2		RED 4 BROW	
10. DISEAS	E RESISTANCE (O	Not Tested,	1 = Susceptible, 2	the second secon				
	STALK ROT (Dip	odia)	<u>l</u> st	Tolerant FULK NOT (FUE		1	STALK ROT (Gibbo	erella)
2	NORTHERN LEA	FBLIGHT	1 sc	OUTHERN LEAF	BLIGHT	2	SMUT (Common	1)
0	SOUTHERN RUST	ř	1 ~	OFINSMUT (H	ead)	同	BACTERIAL WILT	(Stewart'
片					500 FF-01 CON 100 PC	님	STUNT	
2	BACTERIAL LEA	r BLIGHT (GUSS/[] M	AIZE DWARF M	OSAIC	0	310141	
	OTHER (Specify)							
11. INSECT	RESISTANCT (O =	Not Tested, 1	= Susceptible, 2 =	100.000.000.000.000				-
_				Tolerant				
	CORNBORER		EARWORM		0 SAP	BEETLE '	0 AP	ніо
0	ROOTWORM (Nor	thurn)	О воотжовь	M (Western)				
0	ROOTWORM (Sou	thern)	OTHER (Spe	cify)				
12. VARIET	IES MOST CLOSEL	Y RESEMBLI	NG THAT SUBM	ITTED FOR TH	E CHARACTERS GI	VEN:	4.	
CHARAC	CTER		VARIETY	v	CHARACTER		VARIETY	
Maturity			207		Kernel Type		207	
Plant Typ	00		207		Quality (Edible)		
Ear Type			207		Usage	207		
REFERE	NCES:							
	U.S. Department Ag	riculture. Ye	arbook 1937.					
	5647 1250 27 775 775			35% 18	, Westport, Connect			
	The Mutants of Mai.			=	ge Studies in Maize.C	ornell A.E.S.,	Mem. 180. 1935.	
	Stringfield, G.H. Me				CONTRACTOR OF THE PARTY OF THE			
					l Lines — PhD. Thesis	s, Ohio State U	University.	
COMME	VTS: Heat uni	ts are o	Coumulated	from deal	v torrer		11	
	HI = Max	imum air	temperatu	re in Fab-	y temperatur	es as to	llows: ter than 86.	
	LU = Min	ilmum air	temperatu	re in Fahr	enheit but n	ot less	ter than 86. than 50.	6
FORM LPGS-470	Heat Uni	ts = (HI	+ L0)/2 -	50, but n	ot less than	0.	000,000,000,000 (TEST)	Page 3 of 3
ONW F.02-4/	70 (3.79)							. age 3 or 3

14D. Exhibit D. Additional Description of 'PHG29'


'PHG29' is a yellow dent inbred line of corn, Zea mays L.

As an inbred per se, PHG29 is similar to the Pioneer proprietary inbred line 207, however, there are some distinguishable differences between the two inbreds as stated in Exhibit B. PHG29 is characterized by producing hybrids with thick ears and wide, deep kernels. For comparative purposes, data are attached with comparisons of PHG29 to Pioneer Inbred line 207 (crossed to the same tester lines and evaluated in the same locations).

14D. Exhibit D. Comparison of PHG29 and Pioneer inbred line 207 crossed to the same tester lines and the hybrids evaluated at the same locations. All values are expressed as percent of the test mean except yield, which is expressed as bushels/acre adjusted to 15.5% grain moisture.


	Inbred	Yield	Percent Yield	Moisture	GDU Shed	Stalk Lodging	Root Lodging	Ears/Plot	Stay Green	Test Weight	Grain Quality	Cob Scores	Seedling Vigor	Plant Height	Ear Height	
No. of Reps.		64	64	64	11	64	33	14	41	64	62	6	23	31	31	
	PHG29	149	107	105	101	102	103	104	124	100	96	102	100	101	101	
	207	140	100	93	9.9	105	105	101	91	100	97	105	93	98	98	
Diff.	9	9	7	7	2	3	2_	3	33	0	1	3	8	3	3	

- 14D. Exhibit D. Additional Description of PHG29 (continued).
 - a. Whole Plant




14D. Exhibit D. Additional Description of PHG29 (continued).

c. Ear



14D. Exhibit D. Additional Description of PHG29 (continued).

b. Tassel



14E. Exhibit E. Statement of Basis of Applicant's Ownership.

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the selection and development of PHG29. Pioneer Hi-Bred International has the sole rights and ownership of PHG29.